

# Republic of the Philippines SURIGAO DEL SUR STATE UNIVERSITY

Rosario, Tandag, Surigao del Sur Tel. no.: 086-214-2744 E-mail: sdssu\_bac@yahoo.com

Bids and Awards Committee on Goods

## REQUEST FOR QUOTATION (RFQ)

### "Supply and Delivery of Airconditioner of SDSSU Cantilan Campus"

#### RFQ No: 03

- 1. The Surigao del Sur State University (SDSSU) Cantilan Campus, through the Special *Trust Fund* intends to apply the sum of *Eighty Thousand Pesos Only (P 80,000.00)* being the approved Budget for the Contract (ABC) to payments for the "**Supply and Delivery of Airconditioner of SDSSU Cantilan Campus**" for which this Request for Quotation is issued.
- 2. The SDSSU, herein after referred to as "the Purchaser" now request you to submit price quotation for the supply and delivery of the following:

Ite m No.	Description	Qty.	Unit
	Supply and Delivery of Airconditioner of SDSSU  Cantilan Campus		
1	Aircon, Vertical Split	1	unit
	Specifications: Refrigerant: 222 Indoor Unit Model: KFM-36E2 Outdoor Unit Model: KPC-361H2 Capacity:TR Cooling: 36,000 kj/hr Power consumption: 3,950 W Related current; 18.6 A EER: 9.1 BTU/hr-W Indoor Noise Level (Hi/Med/Lo): 52 dB(A) Indoor Air Flow: 1,900 m³/h Max pipe length: 15m Tubing Connection Diameter (Liq/Gas) 9.52/15.88mm Volts/Hz/Phase: 230/60/1		

- 3. A set of technical specifications for the above items are provided in Attachment 1. All items listed under the purchasers specifications must be complied on a pass-fail basis. Failure to meet any one of the requirements will result to rejection.
- 4. Bidding procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations-A (IRR-A) of Republic Act 9184.
- 5. It is the intent of the Purchaser to evaluate the quotation for each item separately, and award will be made to the quotation or combination of quotations resulting in the

overall lowest cost. Quotation for one or more or all items will be considered. Contract Award will be made to the lowest evaluated quotation (s) meeting purchaser's technical specifications.

- 6. Quotations must be delivered at the BAC Office of Surigao del Sur State University, Cantilan Campus, Cantilan, Surigao del Sur not later than 10:00 AM of February 13, 2017.
- 7. Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.
- 8. All quotations must be typewritten and must be placed in sealed envelope marked "Supply and Delivery of Airconditioner of SDSSU Cantilan Campus (RFQ No. 003)."
- 9. Quotations shall be valid for sixty (60) calendar days from the Opening of Bids.
- 10. The delivery period shall be within fifteen (15) calendar days from receipt of the Notice to Proceed (NTP).
- 11. DELIVERY SITE: <u>Surigao del Sur State University (SDSSU)-Cantilan Campus, Cantilan, Surigao del Sur.</u>
- 12. The applicable rate for late deliveries is one tenth (1/10) of one percent (1%) of the cost of the unperformed portion for every day of delay. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity shall rescind the contract, without prejudice to other courses of action and remedies open to it.
- 13. The SDSSU reserves the right to accept or reject any quotation, and to annul the bidding process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected bidder or bidders and to waive any minor defects or infirmities therein and to accept such quotation as may be considered advantageous to the government.
- 14. The prospective bidder shall submit the following:
  - a. Quotation Form
  - b. Technical Specification
  - c. Certificate of PHIL-GEPS Registration

Sgd. FLORIIFE O. URBIZTONDO

BAC CHAIRMAN



# Republic of the Philippines SURIGAO DEL SUR STATE UNIVERSITY

Rosario, Tandag, Surigao del Sur Tel. no.: 086-214-2744 E-mail: sdssu\_bac@yahoo.com

### **QUOTATION FORM**

Date:	
RFQ No. 003	

# The Chairman

The Bids and Award Committee on Goods SDSSU-Main Campus

1) Having examined the subject Request for Quotation including the Technical Specifications, we, the undersigned offer to supply and deliver the following items (with our unit price and total)

Item No.	Description	Qty.	Unit	Unit Price	Total
	Supply and Delivery of Airconditioner of SDSSU Cantilan Campus				
1	Aircon, Vertical Split	1	unit		
	Specifications: Refrigerant: 222 Indoor Unit Model: KFM-36E2 Outdoor Unit Model: KPC-361H2 Capacity:TR Cooling: 36,000 kj/hr Power consumption: 3,950 W Related current; 18.6 A EER: 9.1 BTU/hr-W Indoor Noise Level (Hi/Med/Lo): 52 dB(A) Indoor Air Flow: 1,900 m³/h Max pipe length: 15m Tubing Connection Diameter (Liq/Gas) 9.52/15.88mm Volts/Hz/Phase: 230/60/1				

- 2) We undertake, if our Quotation or Bid is accepted, to deliver the above goods within the *thirty* (30) days delivery period.
- 3) We agree to abide by this Quotation/Bid for a period of *sixty* (60) days after the dated deadline of submission specified in your RFQ.
- 4) We understand that payment for items delivered will be made to the winning supplier within thirty (30) days after inspection and acceptance of goods delivered.

Company Name:	
Address:	
Signature over Printed Name:	



Republic of the Philippines
SURIGAO DEL SUR STATE UNIVERSITY
Rosario, Tandag, Surigao del Sur
Tel. no.: 086-214-2744 E-mail: sdssu\_bac@yahoo.com

# TECHNICAL SPECIFICATIONS

Purchaser's Specifications	Supplier's Specifications (please state "Comply" or "Not Comply"
Supply and Delivery of Airconditioner of SDSSU Cantilan Campus	
Aircon, Vertical Split	
Specifications:	
Refrigerant: 222	
Indoor Unit Model: KFM-36E2	
Outdoor Unit Model: KPC-361H2	
Capacity :TR	
Cooling: 36,000 kj/hr	
Power consumption: 3,950 W	
Related current; 18.6 A	
EER: 9.1 BTU/hr-W	
Indoor Noise Level (Hi/Med/Lo): 52 dB(A)	
Indoor Air Flow: 1,900 m <sup>3</sup> /h	
Max pipe length: 15m	
Tubing Connection Diameter (Liq/Gas)	
9.52/15.88mm	
Volts/Hz/Phase: 230/60/1	