



Republic of the Philippines
SURIGAO DEL SUR STATE UNIVERSITY
 Rosario, Tandag, Surigao del Sur
 Tel. no.: 086-214-2744
 E-mail: sdssu_bac@yahoo.com

BIDS AND AWARD COMMITTEE

Supplemental Bid Bulletin No. 1

Procurement of Science, Engineering and Technology Equipment

This supplemental Bid Bulletin No. 1 dated 8th day of June 2015 is being issued to clarify, modify, or amend items in the Bidding Documents.

BIDDING DOCUMENTS

The item is hereby revised/ amended:

SECTION VII: Technical Specifications


FROM	TO
<p>Item No. 1 Variable Air Conditioner Trainer Model YL-601-SDH</p>	<p>Variable Air Conditioner Trainer</p> <p>Technical Specifications: Composition: Ignition System, Computer Board and movable wheel bench</p> <p>Functions</p> <p> 1. With 3 ignition system (storage battery ignition system, Hall effect contactless ignition system and non-separator electronic ignition control system), independent to each other.</p> <p> 2. With circuit diagram with terminals, faults settings switches.</p> <p> 3. Faults Settings switches, terminals; to show ignition system working process, defects faults.</p> <p> 4. Instruments real time detection.</p> <p> 5. With movable wheel bench, by high temperature plastic spraying treatment, for color fastness for 5 years</p> <p>Technical Parameters: Dimensions: 1500 x 600 x 2000mm</p> <p>Power Supply: 220V AC 50Hz Weight: 40± 10 kg Working Temperature: -40~50°C</p>
<p>Item No. 2 Engine Dis Assembly and Assembly Rotator</p>	<p>Engine Dis Assembly and Assembly Rotator</p>

	<p>The Bench is composed of the following assembly</p> <ul style="list-style-type: none"> Engine Assembly Exhaust System Starting system Original vehicle sensor Charging System Speed reducer Ignition System Dis Assembly and assembly wender Intake System Large area oil collector basin <p>Functions:</p> <p>Can do disassembly and assembly training of the engine. During disassembly and assembly, it can realize 360 degree rotation of the engine , and lock in a certain position which makes the disassembly and assembly process proficient. The engine accessories are complete, and system structure is of integrity, which can meet the whole process requirements of engine disintegrating, refitting, commissioning, and testing. With the split structure, it can realize that the two systems of disassembly and assembly system and operation system don't interference each other. With the large area oil collector basin , the three parts, tools, and oil don't fall off to the ground. The overall bench is welded using steel structure, and the surface is treated by high-temperature painting, with a good performance of antirust and a long life. The bench has a universal wheel for flexible movement, and a casters lock device. It is easy to operate, and safe and reliable.</p> <p>Technical Parameters:</p> <ol style="list-style-type: none"> 1. Weight: 100±20 kg 2. Overall Dimension: 100 x 700x 1000 (mm); 3. Working temperature:-40~50
--	--

This Supplemental Bid Bulletin No. 1 shall form part of the Bid Documents. Any Provisions in the Bid Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the information and guidance of all concerned.

Issued this 8th day of June 2015 in Surigaodel Sur State University (SDSSU)
Boardroom, Rosario, Tandag, Surigao de Sur.

A handwritten signature in black ink, appearing to read "Florife O. Urbiztondo", is positioned above a vertical line.

FLORIFE O. URBIZTONDO, MPA
BAC Chairman